## I. AMENDMENTS TO THE CLAIMS:

1-10. (Canceled)

- 11. (Currently Amended) A method of treating psoriasis affected area of the skin, scalp or nails comprising the steps of:
- a) orally administering to a psoriasis affected individual a composition comprising [[about]] 400 mg boswellic acid, [[about]] 100 micrograms of selenomethionine, and a pharmaceutically acceptable carrier three times per day; and
- b) topically applying to the affected area a composition comprising 5% w/w Boswellia serrata gum resin extract comprising beta-boswellic acid, acetyl-beta-boswellic acid, 11-keto-beta-boswellic acid, and acetyl-11-keto-beta-boswellic acid boswellic acid, and a pharmaceutically acceptable carrier three times per day.
- 12. (Currently Amended) The method of claim 11, wherein the orally administered composition contains [[about]] 400 mg of boswellic acid represented by <u>a mixture of one or more of the following groups:</u>
- a) beta-boswellic acid, acetyl beta-boswellic acid, 11-keto beta-boswellic acid, and
   acetyl-11-keto-beta-boswellic acid, as a single entities or mixtures; and
   b) congeners or derivatives of beta-boswellic acid, acetyl beta-boswellic acid, 11-keto-beta-boswellic acid, as single entities or mixtures.
- 13. (Canceled)

- 14. (Currently Amended) The method of claim 11, wherein the topically administered composition contains [[about]] 400 mg of boswellic acid represented by <u>a mixture of one or more of the following groups:</u>
- a) beta-boswellic acid, acetyl beta-boswellic acid, 11-keto beta-boswellic acid, and acetyl-11-keto-beta-boswellic acid, as single entities or mixtures; and
  b) congeners or derivatives of beta-boswellic acid, acetyl beta-boswellic acid, 11-keto

beta-boswellic acid, acetyl-11-keto-beta-boswellic acid, as single entities or mixtures.

- 15. (Previously Presented) The method of claim 11, wherein the orally administered composition contains about 400 mg of acetyl-11-keto-beta-boswellic acid.
- 16. (Previously Presented) The method of claim 11, wherein the Selenomethionine is L(+)-Selenomethionine.
- 17. (Canceled) The method of claim 11, wherein the topically administered composition contains about 400 mg of acetyl-11-keto-beta-boswellic acid.
- 18. (Canceled)
- 19. (Canceled)

- 20. (Previously Presented) The method of claim 11, wherein the total daily topical dose of boswellic acid is about 1200 mg, administered in a plurality of individual doses.
- 21. (Currently Amended) A method of treating psoriasis affected area of the skin, scalp or nails comprising the steps of:
- a) orally administering to a psoriasis affected individual a composition comprising [[about]] 400 mg boswellic acid, [[about]] 100 micrograms of elemental selenium, and a pharmaceutically acceptable carrier, three times per day; and
- b) topically applying to the affected area a composition comprising 5% w/w Boswellia serrata gum resin extract comprising beta-boswellic acid, acetyl-beta-boswellic acid, 11-keto-beta-boswellic acid, and acetyl-11-keto-beta-boswellic acid boswellic acid, and a pharmaceutically acceptable carrier three times per day.
- 22. (Currently Amended) The method of claim [[22]] <u>21</u>, wherein the elemental selenium is in the form of one or more of the following selenium sources: selenomethionine, <u>Se-methylselenocysteine</u>, derivatives of selenomethionine, derivatives of Se-methylselenocysteine, and high selenium yeast.
- 23. (Currently Amended) A method of treating psoriasis affected area of the skin, scalp or nails comprising the steps of:
- a) orally administering to a psoriasis affected individual a composition comprising [[about]] 400 mg boswellic acid, [[about]] 100 micrograms of elemental selenium in the

form of one or more of the following selenium sources: selenomethionine, Semethylselenocysteine, derivatives of selenomethionine, derivatives of Semethylselenocysteine, and a pharmaceutically acceptable carrier, three times per day; and

- b) topically applying to the affected area a composition comprising 5% w/w Boswellia serrata gum resin extract comprising beta-boswellic acid, acetyl-beta-boswellic acid, 11-keto-beta-boswellic acid, and acetyl-11-keto-beta-boswellic acid boswellic acid, and a pharmaceutically acceptable carrier three times per day.
- 24. (Currently Amended) A method of treating psoriasis affected area of the skin, scalp or nails comprising the steps of:
- a) orally administering to a psoriasis affected individual a composition comprising [[about]] 400 mg boswellic acid, [[about]] 100 micrograms of elemental selenium in the form of high selenium yeast, and a pharmaceutically acceptable carrier, three times per day; and
- b) topically applying to the affected area a composition comprising 5% w/w Boswellia serrata gum resin extract comprising beta-boswellic acid, acetyl-beta-boswellic acid, 11-keto-beta-boswellic acid, and acetyl-11-keto-beta-boswellic acid boswellic acid, and a pharmaceutically acceptable carrier three times per day.